


PCT / IB 0 4 / 0 1 5 3 3

0 6 MAY 2004



INVESTOR IN PEOPLE




The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

Dated

5 March 2004

**PRIORITY  
DOCUMENT**

SUBMITTED OR TRANSMITTED IN  
COMPLIANCE WITH RULE 17.1(a) OR (b)

Patents Form 1/77

Patents Act 1977  
(Rule 16)The  
Patent  
Office  
□□□□

1/77

## Request for grant of a patent

(See notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

THE PATENT OFFICE  
JR

14 MAY 2003

RECEIVED BY FAX

The Patent Office  
Cardiff Road  
Newport  
Gwent NP10 8QQ

1. Your reference

PHGB 030076GBQ

14 MAY 2003

2. Patent application number

(The Patent Office will fill in this part)

0311077.2

14MAY03 E807258-1 D02879

P01/7700 0.00-0311077.2

3. Full name, address and postcode of the or of each applicant (underline all surnames)KONINKLIJKE PHILIPS ELECTRONICS N.V.  
GROENBWOUDSEWEG 1  
5621 BA EINDHOVEN  
THE NETHERLANDS  
07419294001

Patents ADP Number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

THE NETHERLANDS

4. Title of the invention

IMPROVEMENTS IN OR RELATING TO WIRELESS TERMINALS

5. Name of your agent (if you have one)  
"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)Philips Intellectual Property and Standards  
Cross Oak Lane  
Redhill  
Surrey  
RH1 5HA  
08359655001 ✓

Patents ADP number (if you know it)

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority Application number  
(if you know it)Date of filing  
(day/month/year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing  
(day/month/year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer "Yes" if:

YES

- a) any applicant named in part 3 is not an inventor, or
  - b) there is an inventor who is not named as an applicant, or
  - c) any named applicant is a corporate body.
- See note (d)).

**Patents Form 1/77**

9. Enter the number of sheets for any of the following items you are filing with this form.  
Do not count copies of the same document.

Continuation sheets of this form

Description

Claims(s)

Abstract

Drawings

5  
0  
0  
3

10. If you are also filing any of the following, state how many against each item:

Priority Documents

Translations of priority documents

Statement of inventorship and right

to grant of a patent (*Patents Form 7/77*)Request for preliminary examination and  
search (*Patents Form 9/77*)Request for substantive examination  
(*Patents Form 10/77*)


Any other documents

(Please specify)

11.

I/We request the grant of a patent on the basis of this application.

Signature



Date 14/5/2003

12. Name and daytime telephone number of person to contact in the United Kingdom

01293 815438

(A. G. WHITE)

**Warning**

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

**Notes**

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered "Yes" *Patents Form 7/77* will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

**Patents Form 1/77**

0068907.14-May-03:05:51

**DESCRIPTION****IMPROVEMENTS IN OR RELATING TO WIRELESS TERMINALS****5 Introduction**

The present invention relates to a method of reducing the volume of a multi-band antenna structure by combining the properties of Planar Inverted-F Antennas (PIFA's) and notches, and also to an antenna structure and wireless terminal featuring the same. The main application is cellular telephony.

**10 State of the Art (a.)**

PIFA antennas are popular in mobile phones (Nokia use them almost exclusively, for example). The principal reasons for this are that:

- they exhibit low SAR performance (and less loss to the head)
  - they are installed above the phone circuitry and, therefore, "re-use" the
- 15 space within the phone to some degree

However, such antennas are physically large and are difficult to use over more than two cellular bands. The best performing antennas are capable of operation at GSM, DCS and PCS.

**The Problem (b.)**

- 20 To reduce the antenna volume or increase the number of bands covered. Clearly there is a trade off between these two aims.

**The Measures Proposed (c.)**

- To use the PIFA predominantly for transmission, since SAR is only relevant in this mode. To use a co-located notch for reception (or when SAR is not
- 25 considered to be important).

The European and North American cellular bands are shown in Figure 1. The transmit bands are shown in dark grey (to the left of each pair), while the receive bands are shown in light grey (to the right). In Europe both the GSM

and DCS bands accommodate time division duplex systems, while the UMTS bands are predominantly frequency division, full duplex. In the USA, a mix of systems and duplex methods are used in the AMPS and PCS bands. The advanced wireless systems (AWS) bands have recently been allocated for 3G systems, though it has yet to be resolved how the bands will be used.

A principal feature of the present invention is to use notches for the receive bands and a PIFA or PIFAs for the transmit bands. When the PIFA is used the notch can be de-activated by switching across its open end. Since PIFAs and notches can occupy the same volume, and both antennas are required to cover only a sub-section of the total bandwidth, the total volume occupied can be reduced.

#### Embodiments (d.)

##### GSM/DCS/PCS/Bluetooth Configuration

Currently many phones are being made to support the European GSM and DCS bands together with the US PCS bands (in the TDMA IS54/136 mode). Since many other countries have adopted either the European or US band allocations, this allows near-worldwide roaming. To cover these bands an antenna fractional bandwidth of 15.1% is required (1710–1990MHz). To cover the transmit bands only, a fractional bandwidth of only 11% is required – i.e., the required bandwidth is reduced by approximately one third. To take advantage of this, the PCS RX band can be implemented as a notch.

This is illustrated in Figure 2. Here a notch N is implemented in the PCB below a dual-band GSM/DCS PIFA. The notch is fed near its closed end and tuning/switching is applied at the open end.

With a small tuning capacitor at the open end, the notch can be used for Bluetooth, or any other frequency in the ISM band in the region of 2.4GHz (this varies from country to country), without adversely affecting the performance of the dual-band PIFA.

With a larger tuning capacitor, the notch can be used for the PCS receive band (from 1930-1990MHz). Since this frequency is close to the upper frequency at which the PIFA operates, it is necessary to short circuit the notch at the open end when the PIFA is in use. This can be achieved via a simple switch (for example a PIN diode, FET or MEMs device).

With the switch ON, the  $S_{11}$  performance of the dual-band PIFA on a 40x100x1mm PCB is as shown in Figure 3 (markers s1 and s2 show the GSM band edges while markers s3 and s4 show the DCS band edges). It can be seen that the notch has no effect on the input impedance of the PIFA. It is expected that the notch will also not adversely affect the SAR.

In the simulation above the total efficiency of the antenna (including mismatch) is greater than 60% over the GSM and DCS bands, despite the fact that the switch is assumed to have an ON resistance of just 10Ω. Hence it is demonstrated that, in the ON condition, the switch quality is not an important factor.

With the switch OFF and an optimal tuning capacitance applied at the open end of the notch, the  $S_{11}$  performance of the notch is as shown in Figure 4 (markers s1 and s2 show the PCS RX band edges). Here the OFF state is assumed to be provided by a PIN diode with a reverse bias capacitance of 0.2pF and a Q of 20. Under such conditions a worst-case efficiency (including mismatch) of 50% is achieved. Better performance could be achieved with the use of better quality switches, such as MEMs devices etc.

Figure 5 schematically represents the above circuit model for the PIFA and notch.

The notch can also be de-activated using passive filtering. For example, a PIFA may be used for UMTS TX while a notch is used for UMTS RX. Since both TX and RX are simultaneously required for UMTS, the notch can be

made to look inactive at the UMTS transmit frequency using a passive network at the open end of the notch. Such a network is required to be substantially open circuit at the RX frequency and substantially short circuit at the TX frequency. This could be achieved with bulk acoustic wave resonators, for example.

More than one notch may be used – for example, for the simultaneous provision of GSM/DCS/PCS and Bluetooth or for the provision of diversity.

#### Fields of Application (e.)

Any multi-band system where low SAR is only required for some of the bands. Particularly appropriate for all current and future wireless communication systems.

Although the present invention has been described with reference to a wireless terminal having a PIFA antenna and operating in the GSM, DCS and PCS bands. The invention may be applied to any multiband radio and in other dual band applications. Also the present invention relates to an RF module having an antenna and at least those components included in the coupling stages 26A and 26B.

In the present specification and claims the word "a" or "an" preceding an element does not exclude the presence of a plurality of such elements. Further, the word "comprising" does not exclude the presence of other elements or steps than those listed.

From reading the present disclosure, other modifications will be apparent to persons skilled in the art. Such modifications may involve other features which are already known in the design, manufacture and use of wireless terminals and component parts therefor and which may be used instead of or in addition to features already described herein. Although claims have been formulated in this application to particular combinations of features, it should be understood that the scope of the disclosure of the present application also includes any novel feature or any novel combination of features disclosed herein either explicitly or implicitly or any generalisation

5

PHGB 030076GBQ

thereof, whether or not it relates to the same invention as presently claimed in any claim and whether or not it mitigates any or all of the same technical problems as does the present invention. The applicants hereby give notice that new claims may be formulated to such features and/or combinations of such features during the prosecution of the present application or of any further application derived therefrom.



1/3




Figure 1 Cellular 2G and 3G Frequency Bands






Figure 2 Co-located PIFA and Notch

PHGB030076

0068907 14-May-03 05:51

$$2/3$$


**Figure 3 PIFA S<sub>11</sub>**



**Figure 4 Notch S<sub>11</sub>**

PHGB030076

0068907 14-May-03 05:51

3/3




Figure 5 Combined antenna circuit model

This Page is inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record

## BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ BLACK BORDERS
- ☒ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☒ BLURED OR ILLEGIBLE TEXT OR DRAWING
- ☒ SKEWED/SLANTED IMAGES
- ☐ COLORED OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REPERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images problems checked, please do not report the problems to the IFW Image Problem Mailbox**